

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	3	interragat\$4 and portable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/02 13:58
S6	294	amplitude adj modulation and first adj amplitude same second adj amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/02 14:00
S7	82	S6 and polarit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:50
S9	42	interrogator and pulse\$1 same position\$2 near2 cod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/02 14:10
S10	6	S9 and polarit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/02 14:12
S11	2	S9 and message\$1 same sequence\$1 same symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/02 14:15
S14	294	amplitude adj modulation and first adj amplitude same second adj amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:12
S15	82	S14 and polarit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:12
S19	78	multilevel near amplitude adj modulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 16:46

S24	79	ternary near modulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:04
S26	8	S24 and first with amplitude same second with amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 14:57
S39	4	bipolar near amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 18:16
S40	10	composite near amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 16:54
S41	272	rfid and amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 17:09
S48	272	rfid and amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 18:16
S49	105	S48 and time adj interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 18:21
S50	5	S49 and first near2 amplitude same second near2 amplitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 18:24
S53	103	S49 and cod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 18:22
S54	54	S49 and positive same negative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/03 18:24

S64	3287	(television or tv or composite\$2) near signal and amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 11:57
S66	801	S64 and first with second with amplitude\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 11:59
S67	58	S66 and positive with negative with polarit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 12:00
S68	46	S67 and pulse\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 12:01
S69	27	S68 and time near2 interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 13:55
S84	50	pulse adj position\$4 and rfid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 15:05
S85	13	S84 and first with second with (amplitude\$1 or level\$1 or polarit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 15:02
S86	26	pulse adj amplitude adj modulation and rfid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 15:06
S92	9	trinary with amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 15:39
S93	22	ternary with amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 18:55

S98	72	amplitude adj modulation and message\$1 same frame\$1 same block\$1 same symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 19:29
S99	47	S98 and (time adj interval\$1 or chip adj period\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 19:31
S10 3	46	S99 and (preamble\$1 or delimiter\$1 or header\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 19:46
S10 4	9	S99 and (preamble\$1 or delimiter\$1 or header\$1) and polarit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/04 19:36
S11 1	32	S109 and pulse\$1 same (pattern\$1 or block\$1 or packet\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 13:37